

# BULLIVANTS Blue@Link

CHAIN & LEVER BLOCK RANGE



***More Features, More Value,  
to Safely Shift your Load!***

## ***Features & Benefits:***



***Overload Clutch*** - protects the hoist mechanism from damage and the operator from harm due to overloading

***Fitted With Shroud*** - ensures load chain cannot come loose or fall out and the operator's hands & fingers cannot come in to contact with the load chain when under tension

***Reduced Headroom Design*** - for use in low or limited headroom environments such as in mining

***Double Pawl Mechanism*** - additional redundancy built in to the mechanism to provide longer working life

***Forged Upper & Lower Hooks With Robust Safety Latch*** - provides durability when repeatedly connecting to a load

***Powder Coated Finish*** - provides longer working life in harsh environments

***Hooks Spin Easily Under Load*** - allows load to orientate freely when positioning



***For more information & availability call your local Bullivants branch now on:***

**1300 722 999**

**info@bullivants.com**

**www.bullivants.com**

# BULLIVANTS Blue@Link

## LEVER BLOCK

*Complete with Safety Overload Clutch (Limiter).*

*Rated Capacities: 0.8, 1.6 & 3.2 tonnes.*

*Complies to AS1418.2.*

The **Bullivants BlueLink Lever Block** is a strong, highly versatile hoist which is ideal for a multitude of lifting, pulling, tensioning and securing applications. **BlueLink Lever Blocks** are a quality product at an affordable price and are available in lift heights of 1.5 and 3 metres.

Designed for improved safety **BlueLink Lever Blocks** come equipped with an Overload Clutch (Limiter) as standard. This protects the hoist mechanism from damage due to overloading. When an overload is applied to the hoist, the overload limiter actuates to stop lifting.


### Features & Benefits:

- Lightweight robust construction.
- Stainless steel ID plates and rivets (suitable for underground mining applications).
- Proof Tested in accordance with Australian Standards.
- Test certificate supplied with each unit.
- Individually serial numbered for complete traceability.
- Fully enclosed gear train.
- Fitted with European Grade 80 load chain.
- Comes equipped with Overload Clutch (Limiter).
- Complies to AS1418.2.


### Bullivants BlueLink Lever Blocks



Order Code:	203794	203795	203796	
Rated Capacity (t)	0.8	1.6	3.2	
Standard Lift (m)	1.5	1.5	1.5	
Test Load (t)	1	2	4	
Min. Distance Between Hooks (Hmin-mm)	320	380	480	
Effort Required to Lift Rated Load (N)	180	380	450	
No. of Load Chain Falls	1	1	1	
Load Chain Diameter (mm)	6	8	10	
Load Chain Dimensions (mm)				
Nominal Pitch (mm)	p (1t)	18.0	24.0	30.0
	p (11t)	198.0	264.0	332.2
Outside Width (mm)	b2 (max.)	20.2	28.0	33.2
Inside Width (mm)	b1 (min.)	7.5	10.0	12.5
Dimensions (mm)	A	148	172	200
	B	90	98	115
	C	136	160	180
	D	40	52	60
	K	28	38	42
	L	250	250	300
Net Weight (kg)	7.4	11.7	20	



**More Features, More Value, to Safely Shift your Load!**



# BULLIVANTS Blue@Link CHAIN BLOCK

*Complete with Safety Overload Clutch (Limiter).*

*Rated Capacities: 1, 2 & 3 tonnes.*


*Complies to AS1418.2.*

The Bullivants BlueLink Chain Block is a strong, highly versatile hoist which is ideal for a multitude of lifting, pulling, tensioning and securing applications. BlueLink Chain Blocks are a quality product at an affordable price and are available in a standard lift height of 3 metres.

Designed for improved safety BlueLink Chain Blocks come equipped with an Overload Clutch (Limiter) as standard. This protects the hoist mechanism from damage due to overloading. When an overload is applied to the hoist, the overload limiter actuates to stop lifting.

#### Features & Benefits:

- Lightweight robust construction.
- Stainless steel ID plates and rivets (suitable for underground mining applications).
- Proof Tested in accordance with Australian Standards.
- Test certificate supplied with each unit.
- Individually serial numbered for complete traceability.
- Fully enclosed gear train.
- Fitted with European Grade 80 load chain.
- Comes equipped with Overload Clutch (Limiter).
- Complies to AS1418.2.



#### Bullivants BlueLink Chain Blocks



Order Code:	203797	203798	203799	
Rated Capacity (t)	1t	2t	3t	
Running Test Load (kN)	12.5	25	40	
Standard Lift (m)	3	3	3	
Effort Required to Lift Rated Load (N)	260	272	280	
No. of Load Chain Falls	1	1	2	
Load Chain Diameter (mm)	6	8	7.1	
<b>Load Chain Dimensions (mm)</b>				
Nominal Pitch (mm)	p (1t)	18.0	24.0	21.0
	p (11t)	198.0	264.0	231.0
Outside Width (mm)	b2 (max.)	20.2	28.0	25.0
Inside Width (mm)	b1 (min.)	7.5	10.0	8.8
Dimensions (mm)	A	143	152	156
	B	156	198	214
	C	324	407	465
	D	40	52	60
	K	28	38	42
Net Weight (kg)	11.3	19	23.4	

# BULLIVANTS Blue@Link

## NEW SOUTH WALES

Muswellbrook  
12 Enterprise Crescent,  
Muswellbrook NSW 2333  
Ph: (02) 6544 9000  
Fx: (02) 6542 5799  
Em: muswellbrook@bullivants.com

Newcastle  
32 Parker Street,  
Carrington NSW 2294  
Ph: (02) 4969 4755  
Fx: (02) 4962 1468  
Em: newcastle@bullivants.com

Sydney  
10-14 Kellogg Road,  
Glendenning NSW 2761  
Ph: (02) 9208 3600  
Fx: (02) 9625 3355  
Em: sydney@bullivants.com

Wollongong  
5 Investigator Drive,  
Unanderra NSW 2526  
Ph: (02) 4272 1455  
Fx: (02) 4272 1430  
Em: wollongong@bullivants.com

## NORTHERN TERRITORY

Darwin  
2 Cato Street,  
Winnellie NT 0820  
Ph: (08) 8984 3299  
Fx: (08) 8984 4946  
Em: darwin@bullivants.com

## VICTORIA

Melbourne  
114 - 116 Boundary Road,  
Braeside VIC 3195  
Ph: (03) 9585 1288  
Fx: (03) 9585 8948  
Em: melbourne@bullivants.com

## SOUTH AUSTRALIA

Adelaide  
1/334 Cormack Road,  
Wingfield SA 5013  
Ph: (08) 8260 4711  
Fx: (08) 8260 5610  
Em: adelaide@bullivants.com

Roxby Downs  
3 Gosse Street,  
Roxby Downs SA 5725  
Ph: (08) 8671 3255  
Fx: (08) 8671 3288  
Em: roxby@bullivants.com

## QUEENSLAND

Brisbane  
81 Colebard Street West,  
Acacia Ridge QLD 4110  
Ph: (07) 3277 9855  
Fx: (07) 3277 2182  
Em: brisbane@bullivants.com

Cairns  
86-88 Aumuller Street,  
Cairns QLD 4870  
Ph: (07) 4035 4777  
Fx: (07) 4035 4784  
Em: cairns@bullivants.com

Emerald  
Cnr of Cameron Road & Munro Road,  
Emerald QLD 4720  
Ph: (07) 4980 0900  
Fx: (07) 4987 5627  
Em: emerald@bullivants.com

Gladstone  
19 Beckinsale Street,  
Gladstone QLD 4680  
Ph: (07) 4972 9449  
Fx: (07) 4972 7881  
Em: gladstone@bullivants.com

Mackay  
43-51 Diesel Drive,  
Paget QLD 4740  
Ph: (07) 4841 9600  
Fx: (07) 4952 2792  
Em: mackay@bullivants.com

Mt Isa  
1/16 Enterprise Road,  
Mount Isa QLD 4825  
Ph: (07) 4743 2849  
Fx: (07) 4743 2876  
Em: mountisa@bullivants.com

Toowoomba  
335 Taylor Street,  
Toowoomba,  
QLD 4350  
Ph: (07) 4634 9155  
Fx: (07) 4634 2977  
Em: toowoomba@bullivants.com

Townsville  
2 Leyland Street,  
Garbutt QLD 4814  
Ph: (07) 4781 9400  
Fx: (07) 4775 2668  
Em: townsville@bullivants.com

## WESTERN AUSTRALIA

Bunbury  
5 Halifax Drive,  
Bunbury WA 6230  
Ph: (08) 9725 6380  
Fx: (08) 9725 6371  
Em: bunbury@bullivants.com

Kalgoorlie  
Unit 6/46 Great Eastern Highway,  
Somerville Kalgoorlie 6430  
Ph: (08) 9022 0200  
Fx: (08) 9021 5760  
Em: kalgoorlie@bullivants.com

Karratha  
Lot 120 Mooligunn Road,  
Karratha WA 6714  
Ph: (08) 9187 8200  
Fx: (08) 9185 6377  
Em: karratha@bullivants.com

Newman  
34 Shovelanna Street,  
Newman WA 6753  
Ph: (08) 9175 9000  
Fx: (08) 9175 5905  
Em: newman@bullivants.com

Perth  
2-10 Kewdale Road,  
Welshpool WA 6106  
Ph: (08) 9451 8133  
Fx: (08) 9351 8073  
Em: perth@bullivants.com

Port Hedland  
4 Manganese Street,  
Wedgefield WA 6721  
Ph: (08) 9160 2500  
Fx: (08) 9172 3635  
Em: porthedland@bullivants.com

 **Bullivants**  
HANDLING SAFETY

1300 722 999  
info@bullivants.com  
www.bullivants.com